

**Better Buildings By Design Conference  
2008  
Lighting Fixture Evaluation Sheet**

| Physical Attributes |   |   |   |   | Performance |                   |   |   |   | Physical Attributes |   |                  |   |   | Performance |   |   |                   |   |   |   |   |   |
|---------------------|---|---|---|---|-------------|-------------------|---|---|---|---------------------|---|------------------|---|---|-------------|---|---|-------------------|---|---|---|---|---|
| Aperture            | 1 | 2 | 3 | 4 | 5           | Surface Bright    | 1 | 2 | 3 | 4                   | 5 | Aperture         | 1 | 2 | 3           | 4 | 5 | Surface Bright    | 1 | 2 | 3 | 4 | 5 |
| Finish              | 1 | 2 | 3 | 4 | 5           | Cut-off Angle     | 1 | 2 | 3 | 4                   | 5 | Finish           | 1 | 2 | 3           | 4 | 5 | Cut-off Angle     | 1 | 2 | 3 | 4 | 5 |
| IC Rated            | 1 | 2 | 3 | 4 | 5           | Lamp Imaging      | 1 | 2 | 3 | 4                   | 5 | IC Rated         | 1 | 2 | 3           | 4 | 5 | Lamp Imaging      | 1 | 2 | 3 | 4 | 5 |
| Air-Seal            | 1 | 2 | 3 | 4 | 5           | T.H.D. (noise)    | 1 | 2 | 3 | 4                   | 5 | Air-Seal         | 1 | 2 | 3           | 4 | 5 | T.H.D. (noise)    | 1 | 2 | 3 | 4 | 5 |
| Old-Work            | 1 | 2 | 3 | 4 | 5           | Dimming Ability   | 1 | 2 | 3 | 4                   | 5 | Old-Work         | 1 | 2 | 3           | 4 | 5 | Dimming Ability   | 1 | 2 | 3 | 4 | 5 |
| Elec. Ballast       | 1 | 2 | 3 | 4 | 5           | Efficiency        | 1 | 2 | 3 | 4                   | 5 | Elec. Ballast    | 1 | 2 | 3           | 4 | 5 | Efficiency        | 1 | 2 | 3 | 4 | 5 |
| Max. Wattage        | 1 | 2 | 3 | 4 | 5           | Low Irridescence  | 1 | 2 | 3 | 4                   | 5 | Max. Wattage     | 1 | 2 | 3           | 4 | 5 | Low Irridescence  | 1 | 2 | 3 | 4 | 5 |
| Lamp Orientation    | 1 | 2 | 3 | 4 | 5           | Light Level       | 1 | 2 | 3 | 4                   | 5 | Lamp Orientation | 1 | 2 | 3           | 4 | 5 | Light Level       | 1 | 2 | 3 | 4 | 5 |
| Initial Cost        | 1 | 2 | 3 | 4 | 5           | Reflector Options | 1 | 2 | 3 | 4                   | 5 | Initial Cost     | 1 | 2 | 3           | 4 | 5 | Reflector Options | 1 | 2 | 3 | 4 | 5 |
| Notes / Comments:   |   |   |   |   |             |                   |   |   |   | Notes / Comments:   |   |                  |   |   |             |   |   |                   |   |   |   |   |   |

### Lytecaster® Performance Recessed CFL Downlighting **1001**

Page 1 of 2     5" Aperture Vertical Open, Compact Fluorescent, Performance Series, Reflector Trim

**IFFRAME**

Complete fixture consists of Frame-In-Kit and Reflector Trim. Select each separately.

| IFFRAME® Compact Fluorescent Performance Series Reflector Trims |   | Compatible IFFRAME® Frame-In-Kits |                                      |
|---|---|-----------------------------------|--------------------------------------|
| Category No.  | Description                                 | Category No.                      | Incandescent Type                    |
| 1001SD  | 5" Vertical Open Downlight - Standard Clear | 1001SDU                           | Non-C, 120/270V                      |
| 1001SH  | 5" Vertical Open Downlight - Clear Diffuse  | 1001SDH                           | Non-C, Removable 120/270V            |
| 1001WH  | 5" Vertical Open Downlight - Matte White    | 1001SDM                           | Non-C, Emergency 120/270V            |
|   |   | 1001SDS                           | Non-C, 120/270V                      |
|   |   | 1001SDU                           | Non-C, Removable 120/270V            |
|   |   | 1001SDH                           | Non-C, Emergency 120/270V            |
|   |   | 1001SDM                           | Non-C, 120/270V                      |
|   |   | 1001SDS                           | Non-C, Lumen Dimming 120V            |
|   |   | 1001SDU                           | Non-C, Lumen Dimming 270V            |
|   |   | 1001SDH                           | Non-C, Advance Mark III Dimming 120V |
|   |   | 1001SDM                           | Non-C, Advance Mark III Dimming 270V |
|   |   | 1001SDS                           | Non-C, Advance Mark III Dimming 120V |
|   |   | 1001SDU                           | Non-C, Advance Mark III Dimming 270V |

**Features**  
1. Reflector: Anodized aluminum, Matte White Finish.  
2. Finish: Clear - Quartz/Clay (Diffuse) / Free coating - Clear Diffuse.  
3. Performance: Down 80° Cutoff angle. See website for details regarding distribution and efficiency data. Go to [www.lytecaster.com](http://www.lytecaster.com) for CRI files.

**Labels**  
cUL & Listed. Suitable for Dry Locations, I.B.E.C.

**Job Information**     **Type:**  
Job Number: \_\_\_\_\_  
Cat. No.: \_\_\_\_\_  
Lamp(s): \_\_\_\_\_  
Notes: \_\_\_\_\_

Lytecaster is a GE Lighting Company     [www.lytecaster.com](http://www.lytecaster.com)  
637 Apple Road, Fall River, MA 02724 • 508.679.4124 • Fax 508.679.4170  
We reserve the right to change details of design, materials and finish.  
© 2007 GE Lighting Company LLC • 1001

### Lytecaster® Performance Recessed CFL Downlighting **1001H**

Page 1 of 2     5" Aperture Horizontal Open, Compact Fluorescent, Performance Series, Reflector Trim

**IFFRAME**

Complete fixture consists of Frame-In-Kit and Reflector Trim. Select each separately.

| IFFRAME® Compact Fluorescent Performance Series Reflector Trims |   | Compatible IFFRAME® Frame-In-Kits |                                      |
|---|---|-----------------------------------|--------------------------------------|
| Category No.  | Description                                   | Category No.                      | Incandescent Type                    |
| 1001SD  | 5" Horizontal Open Downlight - Standard Clear | 1001SDH                           | Non-C, 120/270V                      |
| 1001SH  | 5" Horizontal Open Downlight - Clear Diffuse  | 1001SDH                           | Non-C, Removable 120/270V            |
| 1001WH  | 5" Horizontal Open Downlight - Matte White    | 1001SDM                           | Non-C, Emergency 120/270V            |
|   |   | 1001SDS                           | Non-C, 120/270V                      |
|   |   | 1001SDU                           | Non-C, Removable 120/270V            |
|   |   | 1001SDH                           | Non-C, Emergency 120/270V            |
|   |   | 1001SDM                           | Non-C, 120/270V                      |
|   |   | 1001SDS                           | Non-C, Lumen Dimming 120V            |
|   |   | 1001SDU                           | Non-C, Lumen Dimming 270V            |
|   |   | 1001SDH                           | Non-C, Advance Mark III Dimming 120V |
|   |   | 1001SDM                           | Non-C, Advance Mark III Dimming 270V |
|   |   | 1001SDS                           | Non-C, Advance Mark III Dimming 120V |
|   |   | 1001SDU                           | Non-C, Advance Mark III Dimming 270V |

**Features**  
1. Reflector: Anodized aluminum, Matte White Finish.  
2. Finish: Clear - Quartz/Clay (Diffuse) / Free coating - Clear Diffuse.  
3. Performance: Down 80° Cutoff angle. See website for details regarding distribution and efficiency data. Go to [www.lytecaster.com](http://www.lytecaster.com) for CRI files.

**Labels**  
cUL & Listed. Suitable for Dry Locations, I.B.E.C.

**Job Information**     **Type:**  
Job Number: \_\_\_\_\_  
Cat. No.: \_\_\_\_\_  
Lamp(s): \_\_\_\_\_  
Notes: \_\_\_\_\_

Lytecaster is a GE Lighting Company     [www.lytecaster.com](http://www.lytecaster.com)  
637 Apple Road, Fall River, MA 02724 • 508.679.4124 • Fax 508.679.4170  
We reserve the right to change details of design, materials and finish.  
© 2007 GE Lighting Company LLC • 1001H



**Lytecaster® Performance Recessed CFL Downlighting 1001**

Page 1 of 2    5' Aperture Vertical Open, Compact Fluorescent, Performance Series, Reflector Trim

**Complete Fixture consists of Frame-In Kit and Reflector Trim. Select each separately.**

| Ultrastream™ Compact Fluorescent Performance Series Reflector Trims |   | Compatible UniFrame™ Frame-In Kits |                                      |
|---|---|------------------------------------|--------------------------------------|
| Color/No.   | Description                                 | Color/No.                          | Installation Type                    |
| 1001CFL   | 5' Vertical Open Downlight - Standard Clear | 1001F100                           | Non-C, 120/270°                      |
| 1001CDB   | 5' Vertical Open Downlight - Clear Diffuser | 1001F100M                          | Non-C, Removable 120/270°            |
| 1001CWH   | 5' Vertical Open Downlight - Matte White    | 1001F100EM                         | Non-C, Emergency 120/270°            |
|   |   | 1001F200                           | Non-C, 120/270°                      |
|   |   | 1001F200M                          | Non-C, Removable 120/270°            |
|   |   | 1001F200EM                         | Non-C, Emergency 120/270°            |
|   |   | 1001F300                           | Non-C, 120/270°                      |
|   |   | 1001F300M                          | Non-C, Removable 120/270°            |
|   |   | 1001F300EM                         | Non-C, Emergency 120/270°            |
|   |   | 1001F300L                          | Non-C, Luminaire Dimming 120°        |
|   |   | 1001F300LM                         | Non-C, Luminaire Dimming 120°        |
|   |   | 1001F300ML                         | Non-C, Advance Mark III Dimming 120° |
|   |   | 1001F300MLM                        | Non-C, Advance Mark III Dimming 120° |
|   |   | 1001F300MLL                        | Non-C, Advance Mark III Dimming 120° |
|   |   | 1001F300MLLM                       | Non-C, Advance Mark III Dimming 120° |

**Features**

- Reflector: Formed aluminum. Matte White Finish.
- Fluorescent: 5' Standard Clear Diffuser (Free coating) or Clear Diffuser.
- Performance Series 10' Candelabra.

**Labels**  
UL & Listed. Suitable for Dry Locations, I.E.E.W.

**Job Information**

| Job Name: | Type: |
|-----------|-------|
|           |       |
|           |       |
|           |       |

Lightolier is a trade name.  
125 Airport Road, Fall River, MA 02720 • 508/670-4111 • Fax 508/670-1470  
We reserve the right to change models, materials, finishes, and prices without notice.  
© 2007 Geacop Group LLC • A5827

**Lytecaster® Performance Recessed CFL Downlighting 1001H**

Page 1 of 2    5' Aperture Horizontal Open, Compact Fluorescent, Performance Series, Reflector Trim

**Complete Fixture consists of Frame-In Kit and Reflector Trim. Select each separately.**

| Ultrastream™ Compact Fluorescent Performance Series Reflector Trims |   | Compatible Frame-In Kits |                                      |
|---|---|--------------------------|--------------------------------------|
| Color/No.   | Description                                   | Color/No.                | Installation Type                    |
| 1001HFL   | 5' Horizontal Open Downlight - Standard Clear | 1001F100                 | Non-C, 120/270°                      |
| 1001HDB   | 5' Horizontal Open Downlight - Clear Diffuser | 1001F100M                | Non-C, Removable 120/270°            |
| 1001HWH   | 5' Horizontal Open Downlight - Matte White    | 1001F100EM               | Non-C, Emergency 120/270°            |
|   |   | 1001F200                 | Non-C, 120/270°                      |
|   |   | 1001F200M                | Non-C, Removable 120/270°            |
|   |   | 1001F200EM               | Non-C, Emergency 120/270°            |
|   |   | 1001F300                 | Non-C, 120/270°                      |
|   |   | 1001F300M                | Non-C, Removable 120/270°            |
|   |   | 1001F300EM               | Non-C, Emergency 120/270°            |
|   |   | 1001F300L                | Non-C, Luminaire Dimming 120°        |
|   |   | 1001F300LM               | Non-C, Luminaire Dimming 120°        |
|   |   | 1001F300ML               | Non-C, Advance Mark III Dimming 120° |
|   |   | 1001F300MLM              | Non-C, Advance Mark III Dimming 120° |
|   |   | 1001F300MLL              | Non-C, Advance Mark III Dimming 120° |
|   |   | 1001F300MLLM             | Non-C, Advance Mark III Dimming 120° |

**Features**

- Reflector: Formed aluminum. Matte White Finish.
- Fluorescent: 5' Standard Clear Diffuser (Free coating) or Clear Diffuser.
- Performance Series 10' Candelabra.

**Labels**  
UL & Listed. Suitable for Dry Locations, I.E.E.W.

**Job Information**

| Job Name: | Type: |
|-----------|-------|
|           |       |
|           |       |
|           |       |

Lightolier is a trade name.  
125 Airport Road, Fall River, MA 02720 • 508/670-4111 • Fax 508/670-1470  
We reserve the right to change models, materials, finishes, and prices without notice.  
© 2007 Geacop Group LLC • C1861

**LIGHTOLIER**

**LIGHTOLIER**

**Average Maintained Illuminance**

**Footcandles =**

(Total # of lamps) x (lumens per lamp) x C.U. x L.L.F.

---

Area (in sq.ft)

**Room Cavity Ratio = 5 (height) x (length + width)**

---

Area (in sq. ft)

**Juno**  
Project: \_\_\_\_\_  
Fixture Type: \_\_\_\_\_  
Location: \_\_\_\_\_  
Contact/Phone: \_\_\_\_\_

**5" VERTICAL IC COMPACT FLUORESCENT HOUSING**  
26W COMPACT FLUORESCENT LAMP  
**ICPL526E**

**PRODUCT DESCRIPTION**  
ICFL Energy Star, AxiLoc™ angled-ell construction housing. Can be completely covered with insulation. White and anti-fog. Gasket (see accessories), stops infiltration and exfiltration of air, reducing heating and/or cooling costs. \* Sales shown with AxiLoc symbol do not require a gasket. \* Easy access ballast. \* 2 year warranty.

**PRODUCT SPECIFICATIONS**  
Lamp: One 26W single tube (4-pin) CFL lamp.  
Socket: Supplied with spring to accommodate various trim installations, or can be attached to top of housing for certain trims.  
Ballast: 120V/180 or 180V Rapid Start Electronic, with adjustable lamp protection. \* Optional dimming ballast available (T16, 24 wattage, 60/90/120 wattage). \* 1.8 Ballast, CUL certified. \* Mounted between glass and housing for ease of maintenance.  
Trim: Trim selection shown on remote.  
Labels: Energy Star qualified. \* UL listed for through-the-roof wiring and damp locations. \* Meets Washington State Air Tight Requirements, ICCA. \* Complies with FCC Part 15 consumer use rules. \* Product mechanically protected against improper use of lamp. \* Lamp made with 100% recycled glass. \* Complies with California Title 24 energy code. \* Items 210 and 5101 are with location approved for covered ceiling applications.  
Testing: All reports are based on published industry procedures; field performance may differ from laboratory performance. Product specifications subject to change without notice.

**INSTALLATION**  
Required 2 Bar Hangers: Interlocking, non-spraying steel ball hanger system permits quick placement of housing complex within 24" C.C. grid or suspended ceiling. \* Hanger: Four rods and slip access housing in suspended ceiling grid - no necessary dips required. \* 24" suspension slip allows quick placement of fixture in standard grid spacing. \* Bars secured in two locations for fast, clean handling, allowing housing installation in tight applications. \* Bars capture to mounting frame. \* Edge-mounted for extra strength. \* Capable to handle 100 lb. load for quick change installation and easy removal with old hammer for fixture relocation. \* Quick lock for fast overhead locking on screw lock fixture in position. \* Bar hanger foot contoured to align to bottom of construction joint. \* Alternative mounting holes included.  
 Junction Box: Pre-wired junction box provided with (1) 1/2" and (1) 3/4" knockouts. (4) Romex connectors and ground wire. UL and CSA listed for through-the-roof wiring, maximum (0.1 hp, 17 AMP, 90° C branch circuit conductors (A, B, 4 out) \* Junction box provided with removable access plate. \* Knockouts equipped with gasket seal.  
 Mounting Frame: 22-gauge die-formed galvanized steel mounting frame. \* Eighteen section junction box, mounting frame, housing ballast and bar hangers fully assembled for ease of installation.  
 Housing IC Housing, 0.02" dimension needed for AxiLoc. \* Housing is vertically adjustable to accommodate up to a 1" ceiling thickness.

**5" VERTICAL IC COMPACT FLUORESCENT HOUSING**  
26W COMPACT FLUORESCENT LAMP  
**ICPL526E**

**TRIM LAMP**

| Trim No. | Trim Name    | Trim Price |
|----------|--------------|------------|
| 001      | ICFL526E-001 | 100.00     |
| 002      | ICFL526E-002 | 100.00     |
| 003      | ICFL526E-003 | 100.00     |
| 004      | ICFL526E-004 | 100.00     |
| 005      | ICFL526E-005 | 100.00     |
| 006      | ICFL526E-006 | 100.00     |
| 007      | ICFL526E-007 | 100.00     |
| 008      | ICFL526E-008 | 100.00     |
| 009      | ICFL526E-009 | 100.00     |
| 010      | ICFL526E-010 | 100.00     |
| 011      | ICFL526E-011 | 100.00     |
| 012      | ICFL526E-012 | 100.00     |
| 013      | ICFL526E-013 | 100.00     |
| 014      | ICFL526E-014 | 100.00     |
| 015      | ICFL526E-015 | 100.00     |
| 016      | ICFL526E-016 | 100.00     |
| 017      | ICFL526E-017 | 100.00     |
| 018      | ICFL526E-018 | 100.00     |
| 019      | ICFL526E-019 | 100.00     |
| 020      | ICFL526E-020 | 100.00     |
| 021      | ICFL526E-021 | 100.00     |
| 022      | ICFL526E-022 | 100.00     |
| 023      | ICFL526E-023 | 100.00     |
| 024      | ICFL526E-024 | 100.00     |
| 025      | ICFL526E-025 | 100.00     |
| 026      | ICFL526E-026 | 100.00     |
| 027      | ICFL526E-027 | 100.00     |
| 028      | ICFL526E-028 | 100.00     |
| 029      | ICFL526E-029 | 100.00     |
| 030      | ICFL526E-030 | 100.00     |
| 031      | ICFL526E-031 | 100.00     |
| 032      | ICFL526E-032 | 100.00     |
| 033      | ICFL526E-033 | 100.00     |
| 034      | ICFL526E-034 | 100.00     |
| 035      | ICFL526E-035 | 100.00     |
| 036      | ICFL526E-036 | 100.00     |
| 037      | ICFL526E-037 | 100.00     |
| 038      | ICFL526E-038 | 100.00     |
| 039      | ICFL526E-039 | 100.00     |
| 040      | ICFL526E-040 | 100.00     |
| 041      | ICFL526E-041 | 100.00     |
| 042      | ICFL526E-042 | 100.00     |
| 043      | ICFL526E-043 | 100.00     |
| 044      | ICFL526E-044 | 100.00     |
| 045      | ICFL526E-045 | 100.00     |
| 046      | ICFL526E-046 | 100.00     |
| 047      | ICFL526E-047 | 100.00     |
| 048      | ICFL526E-048 | 100.00     |
| 049      | ICFL526E-049 | 100.00     |
| 050      | ICFL526E-050 | 100.00     |

**ACCESSORIES**

| Accessories No. | Description                    |
|-----------------|--------------------------------|
| ALG2            | 2" x 2" x 1/2" Aluminum Gasket |
| ALG3            | 3" x 3" x 1/2" Aluminum Gasket |

**PRODUCT CODES**

| Quantity | Input Voltage | Lamp Rating (max.)  | Ballast   |
|----------|---------------|---|---|
| ICPL526E | 120V          | 180/260/360/450/540/600/675/750/810/900/975/1050/1125/1200/1275/1350/1425/1500/1575/1650/1725/1800/1875/1950/2025/2100/2175/2250/2325/2400/2475/2550/2625/2700/2775/2850/2925/3000/3075/3150/3225/3300/3375/3450/3525/3600/3675/3750/3825/3900/3975/4050/4125/4200/4275/4350/4425/4500/4575/4650/4725/4800/4875/4950/5025/5100/5175/5250/5325/5400/5475/5550/5625/5700/5775/5850/5925/6000/6075/6150/6225/6300/6375/6450/6525/6600/6675/6750/6825/6900/6975/7050/7125/7200/7275/7350/7425/7500/7575/7650/7725/7800/7875/7950/8025/8100/8175/8250/8325/8400/8475/8550/8625/8700/8775/8850/8925/9000/9075/9150/9225/9300/9375/9450/9525/9600/9675/9750/9825/9900/9975 | 180/260/360/450/540/600/675/750/810/900/975/1050/1125/1200/1275/1350/1425/1500/1575/1650/1725/1800/1875/1950/2025/2100/2175/2250/2325/2400/2475/2550/2625/2700/2775/2850/2925/3000/3075/3150/3225/3300/3375/3450/3525/3600/3675/3750/3825/3900/3975/4050/4125/4200/4275/4350/4425/4500/4575/4650/4725/4800/4875/4950/5025/5100/5175/5250/5325/5400/5475/5550/5625/5700/5775/5850/5925/6000/6075/6150/6225/6300/6375/6450/6525/6600/6675/6750/6825/6900/6975/7050/7125/7200/7275/7350/7425/7500/7575/7650/7725/7800/7875/7950/8025/8100/8175/8250/8325/8400/8475/8550/8625/8700/8775/8850/8925/9000/9075/9150/9225/9300/9375/9450/9525/9600/9675/9750/9825/9900/9975 |

**OPTIONS**


| Options No. | Description   |
|-------------|---|
| 001         | 120V/180W/260W/360W/450W/540W/600W/675W/750W/810W/900W/975W/1050W/1125W/1200W/1275W/1350W/1425W/1500W/1575W/1650W/1725W/1800W/1875W/1950W/2025W/2100W/2175W/2250W/2325W/2400W/2475W/2550W/2625W/2700W/2775W/2850W/2925W/3000W/3075W/3150W/3225W/3300W/3375W/3450W/3525W/3600W/3675W/3750W/3825W/3900W/3975W/4050W/4125W/4200W/4275W/4350W/4425W/4500W/4575W/4650W/4725W/4800W/4875W/4950W/5025W/5100W/5175W/5250W/5325W/5400W/5475W/5550W/5625W/5700W/5775W/5850W/5925W/6000W/6075W/6150W/6225W/6300W/6375W/6450W/6525W/6600W/6675W/6750W/6825W/6900W/6975W/7050W/7125W/7200W/7275W/7350W/7425W/7500W/7575W/7650W/7725W/7800W/7875W/7950W/8025W/8100W/8175W/8250W/8325W/8400W/8475W/8550W/8625W/8700W/8775W/8850W/8925W/9000W/9075W/9150W/9225W/9300W/9375W/9450W/9525W/9600W/9675W/9750W/9825W/9900W/9975W |

**NOTES:** This product is not Energy Star qualified, but is a compact fluorescent lamp (CFL).

Page 1 of 1

**Product Specifications Report**

| ASB Model   | ASB Type  |           |        |        |        |          |        |          |        |        |        |        |          |        |          |   |     |     |      |       |       |       |       |     |     |      |       |       |       |
|---|---|-----------|--------|--------|--------|----------|--------|----------|--------|--------|--------|--------|----------|--------|----------|---|-----|-----|------|-------|-------|-------|-------|-----|-----|------|-------|-------|-------|
| COMPARABLE  | Standard  |           |        |        |        |          |        |          |        |        |        |        |          |        |          |   |     |     |      |       |       |       |       |     |     |      |       |       |       |
| <p><b>TITLE:</b> Replacement for the old lighting</p> <p><b>TITLE:</b> Replacement for AxiLoc Housing</p> <p>2" Single Fluorescent Lamp, Government-Approved Housing</p> <p>QTY: 1, 18882211777</p> <p>Part No. 18882211777</p>   | <p><b>Dimensions:</b></p> <p>Length: 12 1/2"</p> <p>Depth: 8 1/2"</p> <p>Width: 1 1/4"</p> <p>Height: 1 1/2"</p> <p>Ballast Max. 28"</p> <p>Ballast Min. 14"</p> <p><b>Notes:</b></p> <p>1 - REMOVAL OF OLD FIXTURE - BALLAST NOT INCLUDED</p> <p><b>Ballast/UL:</b></p> <p><b>Safety Labels:</b></p> <p>ICFL526E-001</p> <p>ICFL526E-002</p> |           |        |        |        |          |        |          |        |        |        |        |          |        |          |   |     |     |      |       |       |       |       |     |     |      |       |       |       |
| <p><b>Features:</b></p> <p>Adjustable Ballast</p> <p>180V/260W/360W/450W/540W/600W/675W/750W/810W/900W/975W/1050W/1125W/1200W/1275W/1350W/1425W/1500W/1575W/1650W/1725W/1800W/1875W/1950W/2025W/2100W/2175W/2250W/2325W/2400W/2475W/2550W/2625W/2700W/2775W/2850W/2925W/3000W/3075W/3150W/3225W/3300W/3375W/3450W/3525W/3600W/3675W/3750W/3825W/3900W/3975W/4050W/4125W/4200W/4275W/4350W/4425W/4500W/4575W/4650W/4725W/4800W/4875W/4950W/5025W/5100W/5175W/5250W/5325W/5400W/5475W/5550W/5625W/5700W/5775W/5850W/5925W/6000W/6075W/6150W/6225W/6300W/6375W/6450W/6525W/6600W/6675W/6750W/6825W/6900W/6975W/7050W/7125W/7200W/7275W/7350W/7425W/7500W/7575W/7650W/7725W/7800W/7875W/7950W/8025W/8100W/8175W/8250W/8325W/8400W/8475W/8550W/8625W/8700W/8775W/8850W/8925W/9000W/9075W/9150W/9225W/9300W/9375W/9450W/9525W/9600W/9675W/9750W/9825W/9900W/9975W</p> |   |           |        |        |        |          |        |          |        |        |        |        |          |        |          |   |     |     |      |       |       |       |       |     |     |      |       |       |       |
| <p><b>Shipping Information (20' x 40' container):</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Container</th> <th>Length</th> <th>Width</th> <th>Height</th> <th>Weight</th> <th>Volume</th> <th>Capacity</th> <th>Weight</th> <th>Length</th> <th>Width</th> <th>Height</th> <th>Weight</th> <th>Volume</th> <th>Capacity</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>20'</td> <td>40'</td> <td>8'6"</td> <td>10000</td> <td>68000</td> <td>10000</td> <td>10000</td> <td>20'</td> <td>40'</td> <td>8'6"</td> <td>10000</td> <td>68000</td> <td>10000</td> </tr> </tbody> </table>  |   | Container | Length | Width  | Height | Weight   | Volume | Capacity | Weight | Length | Width  | Height | Weight   | Volume | Capacity | 1 | 20' | 40' | 8'6" | 10000 | 68000 | 10000 | 10000 | 20' | 40' | 8'6" | 10000 | 68000 | 10000 |
| Container   | Length  | Width     | Height | Weight | Volume | Capacity | Weight | Length   | Width  | Height | Weight | Volume | Capacity |        |          |   |     |     |      |       |       |       |       |     |     |      |       |       |       |
| 1   | 20'   | 40'       | 8'6"   | 10000  | 68000  | 10000    | 10000  | 20'      | 40'    | 8'6"   | 10000  | 68000  | 10000    |        |          |   |     |     |      |       |       |       |       |     |     |      |       |       |       |



| Complete fixture consists of Frame-In-Kit and Reflector Trim. Select each separately.  |   |             |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
|--|---|-------------|--------|--|---------|--|----------|---|--|----------|-------------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|-------|---------|
| UniFrame® Compact Fluorescent Performance Series Reflector Trims   | Compatible UniFrame® Frame-In-Kits (See Individual Frame-In-Kit Specification Sheets) |             |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| <table border="1"> <tr> <th>Code No.</th> <th>Description</th> </tr> <tr> <td>1001SW</td> <td>5" Vertical Single Wall Wash - Clear Glass</td> </tr> <tr> <td>1001SWW</td> <td>5" Vertical Single Wall Wash - Clear Glass</td> </tr> <tr> <td>1001SWWW</td> <td>5" Vertical Single Wall Wash - Mirror White</td> </tr> </table> | Code No.  | Description | 1001SW | 5" Vertical Single Wall Wash - Clear Glass | 1001SWW | 5" Vertical Single Wall Wash - Clear Glass | 1001SWWW | 5" Vertical Single Wall Wash - Mirror White | <table border="1"> <tr> <th>Code No.</th> <th>Description</th> <th>Length</th> </tr> <tr> <td>1001SW01</td> <td>Non-C</td> <td>1000mm</td> </tr> <tr> <td>1001SW02</td> <td>Non-C</td> <td>1500mm</td> </tr> <tr> <td>1001SW03</td> <td>Non-C</td> <td>2000mm</td> </tr> <tr> <td>1001SW04</td> <td>Non-C</td> <td>2500mm</td> </tr> <tr> <td>1001SW05</td> <td>Non-C</td> <td>3000mm</td> </tr> <tr> <td>1001SW06</td> <td>Non-C</td> <td>3500mm</td> </tr> <tr> <td>1001SW07</td> <td>Non-C</td> <td>4000mm</td> </tr> <tr> <td>1001SW08</td> <td>Non-C</td> <td>4500mm</td> </tr> <tr> <td>1001SW09</td> <td>Non-C</td> <td>5000mm</td> </tr> <tr> <td>1001SW10</td> <td>Non-C</td> <td>5500mm</td> </tr> <tr> <td>1001SW11</td> <td>Non-C</td> <td>6000mm</td> </tr> <tr> <td>1001SW12</td> <td>Non-C</td> <td>6500mm</td> </tr> <tr> <td>1001SW13</td> <td>Non-C</td> <td>7000mm</td> </tr> <tr> <td>1001SW14</td> <td>Non-C</td> <td>7500mm</td> </tr> <tr> <td>1001SW15</td> <td>Non-C</td> <td>8000mm</td> </tr> <tr> <td>1001SW16</td> <td>Non-C</td> <td>8500mm</td> </tr> <tr> <td>1001SW17</td> <td>Non-C</td> <td>9000mm</td> </tr> <tr> <td>1001SW18</td> <td>Non-C</td> <td>9500mm</td> </tr> <tr> <td>1001SW19</td> <td>Non-C</td> <td>10000mm</td> </tr> </table> | Code No. | Description | Length | 1001SW01 | Non-C | 1000mm | 1001SW02 | Non-C | 1500mm | 1001SW03 | Non-C | 2000mm | 1001SW04 | Non-C | 2500mm | 1001SW05 | Non-C | 3000mm | 1001SW06 | Non-C | 3500mm | 1001SW07 | Non-C | 4000mm | 1001SW08 | Non-C | 4500mm | 1001SW09 | Non-C | 5000mm | 1001SW10 | Non-C | 5500mm | 1001SW11 | Non-C | 6000mm | 1001SW12 | Non-C | 6500mm | 1001SW13 | Non-C | 7000mm | 1001SW14 | Non-C | 7500mm | 1001SW15 | Non-C | 8000mm | 1001SW16 | Non-C | 8500mm | 1001SW17 | Non-C | 9000mm | 1001SW18 | Non-C | 9500mm | 1001SW19 | Non-C | 10000mm |
| Code No.   | Description   |             |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW   | 5" Vertical Single Wall Wash - Clear Glass  |             |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SWW  | 5" Vertical Single Wall Wash - Clear Glass  |             |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SWWW   | 5" Vertical Single Wall Wash - Mirror White   |             |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| Code No.   | Description   | Length      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW01   | Non-C   | 1000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW02   | Non-C   | 1500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW03   | Non-C   | 2000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW04   | Non-C   | 2500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW05   | Non-C   | 3000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW06   | Non-C   | 3500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW07   | Non-C   | 4000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW08   | Non-C   | 4500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW09   | Non-C   | 5000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW10   | Non-C   | 5500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW11   | Non-C   | 6000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW12   | Non-C   | 6500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW13   | Non-C   | 7000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW14   | Non-C   | 7500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW15   | Non-C   | 8000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW16   | Non-C   | 8500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW17   | Non-C   | 9000mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW18   | Non-C   | 9500mm      |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |
| 1001SW19   | Non-C   | 10000mm     |        |  |         |  |          |   |  |          |             |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |        |          |       |         |


- Features**
1. Reflector: Front aluminum. Mirror White finish.
  2. Reflector: Clear Glass (front/rear/trim seating).
  3. Wall Wash Kit: Reflector: Front aluminum. Clear finish.
  4. Reflector: Clear 5° Conical angle.

**Labels**  
 cULus Listed. Suitable for Damp Locations. I.E.S.I.E.

| Job Information | Type: |
|-----------------|-------|
| Job Name:       |       |
| Est. No.:       |       |
| Location:       |       |
| Notes:          |       |

Lightolier is a Suntek company [www.lightolier.com](http://www.lightolier.com)  
 825 Airport Road, Fall River, MA 01922 • 508/239-6114 • Fax 508/239-6110  
 We reserve the right to change details of design, materials and finish.  
 © 2007 Gentec Group LLC • E-1007

LIGHTOLIER



| Complete fixture consists of Frame-In-Kit and Reflector Trim. Select each separately.   |   |             |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
|---|---|-------------|---------|--|----------|--|-----------|---|---|----------|-------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|--------|-----------|-----------------|---------|
| UniFrame® Compact Fluorescent Performance Series Reflector Trims  | Compatible UniFrame® Frame-In-Kits (See Individual Frame-In-Kit Specification Sheets) |             |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| <table border="1"> <tr> <th>Code No.</th> <th>Description</th> </tr> <tr> <td>1001HSW</td> <td>5" Horizontal Single Wall Wash - Clear Glass</td> </tr> <tr> <td>1001HSWW</td> <td>5" Horizontal Single Wall Wash - Clear Glass</td> </tr> <tr> <td>1001HSWWW</td> <td>5" Horizontal Single Wall Wash - Mirror White</td> </tr> </table> | Code No.  | Description | 1001HSW | 5" Horizontal Single Wall Wash - Clear Glass | 1001HSWW | 5" Horizontal Single Wall Wash - Clear Glass | 1001HSWWW | 5" Horizontal Single Wall Wash - Mirror White | <table border="1"> <tr> <th>Code No.</th> <th>Description</th> <th>Length</th> </tr> <tr> <td>1001HSW01</td> <td>UniFrame® Non-C</td> <td>1000mm</td> </tr> <tr> <td>1001HSW02</td> <td>UniFrame® Non-C</td> <td>1500mm</td> </tr> <tr> <td>1001HSW03</td> <td>UniFrame® Non-C</td> <td>2000mm</td> </tr> <tr> <td>1001HSW04</td> <td>UniFrame® Non-C</td> <td>2500mm</td> </tr> <tr> <td>1001HSW05</td> <td>UniFrame® Non-C</td> <td>3000mm</td> </tr> <tr> <td>1001HSW06</td> <td>UniFrame® Non-C</td> <td>3500mm</td> </tr> <tr> <td>1001HSW07</td> <td>UniFrame® Non-C</td> <td>4000mm</td> </tr> <tr> <td>1001HSW08</td> <td>UniFrame® Non-C</td> <td>4500mm</td> </tr> <tr> <td>1001HSW09</td> <td>UniFrame® Non-C</td> <td>5000mm</td> </tr> <tr> <td>1001HSW10</td> <td>UniFrame® Non-C</td> <td>5500mm</td> </tr> <tr> <td>1001HSW11</td> <td>UniFrame® Non-C</td> <td>6000mm</td> </tr> <tr> <td>1001HSW12</td> <td>UniFrame® Non-C</td> <td>6500mm</td> </tr> <tr> <td>1001HSW13</td> <td>UniFrame® Non-C</td> <td>7000mm</td> </tr> <tr> <td>1001HSW14</td> <td>UniFrame® Non-C</td> <td>7500mm</td> </tr> <tr> <td>1001HSW15</td> <td>UniFrame® Non-C</td> <td>8000mm</td> </tr> <tr> <td>1001HSW16</td> <td>UniFrame® Non-C</td> <td>8500mm</td> </tr> <tr> <td>1001HSW17</td> <td>UniFrame® Non-C</td> <td>9000mm</td> </tr> <tr> <td>1001HSW18</td> <td>UniFrame® Non-C</td> <td>9500mm</td> </tr> <tr> <td>1001HSW19</td> <td>UniFrame® Non-C</td> <td>10000mm</td> </tr> </table> | Code No. | Description | Length | 1001HSW01 | UniFrame® Non-C | 1000mm | 1001HSW02 | UniFrame® Non-C | 1500mm | 1001HSW03 | UniFrame® Non-C | 2000mm | 1001HSW04 | UniFrame® Non-C | 2500mm | 1001HSW05 | UniFrame® Non-C | 3000mm | 1001HSW06 | UniFrame® Non-C | 3500mm | 1001HSW07 | UniFrame® Non-C | 4000mm | 1001HSW08 | UniFrame® Non-C | 4500mm | 1001HSW09 | UniFrame® Non-C | 5000mm | 1001HSW10 | UniFrame® Non-C | 5500mm | 1001HSW11 | UniFrame® Non-C | 6000mm | 1001HSW12 | UniFrame® Non-C | 6500mm | 1001HSW13 | UniFrame® Non-C | 7000mm | 1001HSW14 | UniFrame® Non-C | 7500mm | 1001HSW15 | UniFrame® Non-C | 8000mm | 1001HSW16 | UniFrame® Non-C | 8500mm | 1001HSW17 | UniFrame® Non-C | 9000mm | 1001HSW18 | UniFrame® Non-C | 9500mm | 1001HSW19 | UniFrame® Non-C | 10000mm |
| Code No.  | Description   |             |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW   | 5" Horizontal Single Wall Wash - Clear Glass  |             |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSWW  | 5" Horizontal Single Wall Wash - Clear Glass  |             |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSWWW   | 5" Horizontal Single Wall Wash - Mirror White   |             |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| Code No.  | Description   | Length      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW01   | UniFrame® Non-C   | 1000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW02   | UniFrame® Non-C   | 1500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW03   | UniFrame® Non-C   | 2000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW04   | UniFrame® Non-C   | 2500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW05   | UniFrame® Non-C   | 3000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW06   | UniFrame® Non-C   | 3500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW07   | UniFrame® Non-C   | 4000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW08   | UniFrame® Non-C   | 4500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW09   | UniFrame® Non-C   | 5000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW10   | UniFrame® Non-C   | 5500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW11   | UniFrame® Non-C   | 6000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW12   | UniFrame® Non-C   | 6500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW13   | UniFrame® Non-C   | 7000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW14   | UniFrame® Non-C   | 7500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW15   | UniFrame® Non-C   | 8000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW16   | UniFrame® Non-C   | 8500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW17   | UniFrame® Non-C   | 9000mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW18   | UniFrame® Non-C   | 9500mm      |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |
| 1001HSW19   | UniFrame® Non-C   | 10000mm     |         |  |          |  |           |   |   |          |             |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |        |           |                 |         |


- Features**
1. Reflector: Front aluminum. Mirror White finish.
  2. Reflector: Clear Glass (front/rear/trim seating).
  3. Wall Wash Kit: Reflector: Front aluminum. Clear finish.
  4. Reflector: Clear 5° Conical angle.

**Labels**  
 cULus Listed. Suitable for Damp Locations. I.E.S.I.E.

| Job Information | Type: |
|-----------------|-------|
| Job Name:       |       |
| Est. No.:       |       |
| Location:       |       |
| Notes:          |       |

Lightolier is a Suntek company [www.lightolier.com](http://www.lightolier.com)  
 825 Airport Road, Fall River, MA 01922 • 508/239-6114 • Fax 508/239-6110  
 We reserve the right to change details of design, materials and finish.  
 © 2007 Gentec Group LLC • E-1007

LIGHTOLIER



NOTE: Use with multiple clear reflector with beam 7° from wall and conical 5° angle. See dimensions on the wall 7° down from ceiling with 21.6° beam angle and 21.6° beam angle.


| 20w Triple Tube Lamp | 2" From Wall 2" On Center | 2" From Wall 3" On Center | 18w Quad Tube Lamp | 2" From Wall 2" On Center | 2" From Wall 3" On Center |
|----------------------|---------------------------|---------------------------|--------------------|---------------------------|---------------------------|
| 1                    | 1                         | 1                         | 1                  | 1                         | 1                         |
| 2                    | 2                         | 2                         | 2                  | 2                         | 2                         |
| 3                    | 3                         | 3                         | 3                  | 3                         | 3                         |
| 4                    | 4                         | 4                         | 4                  | 4                         | 4                         |
| 5                    | 5                         | 5                         | 5                  | 5                         | 5                         |
| 6                    | 6                         | 6                         | 6                  | 6                         | 6                         |
| 7                    | 7                         | 7                         | 7                  | 7                         | 7                         |
| 8                    | 8                         | 8                         | 8                  | 8                         | 8                         |
| 9                    | 9                         | 9                         | 9                  | 9                         | 9                         |
| 10                   | 10                        | 10                        | 10                 | 10                        | 10                        |
| 11                   | 11                        | 11                        | 11                 | 11                        | 11                        |
| 12                   | 12                        | 12                        | 12                 | 12                        | 12                        |
| 13                   | 13                        | 13                        | 13                 | 13                        | 13                        |
| 14                   | 14                        | 14                        | 14                 | 14                        | 14                        |
| 15                   | 15                        | 15                        | 15                 | 15                        | 15                        |
| 16                   | 16                        | 16                        | 16                 | 16                        | 16                        |
| 17                   | 17                        | 17                        | 17                 | 17                        | 17                        |
| 18                   | 18                        | 18                        | 18                 | 18                        | 18                        |
| 19                   | 19                        | 19                        | 19                 | 19                        | 19                        |
| 20                   | 20                        | 20                        | 20                 | 20                        | 20                        |

Footcandle values are based on a beam angle of 7° and based on a distance of 10 ft.

| Job Information | Type: |
|-----------------|-------|
| Job Name:       |       |
| Est. No.:       |       |
| Location:       |       |
| Notes:          |       |

Lightolier is a Suntek company [www.lightolier.com](http://www.lightolier.com)  
 825 Airport Road, Fall River, MA 01922 • 508/239-6114 • Fax 508/239-6110  
 We reserve the right to change details of design, materials and finish.  
 © 2007 Gentec Group LLC • E-1007

LIGHTOLIER



NOTE: Use with multiple clear reflector with beam 7° from wall and conical 5° angle. See dimensions on the wall 7° down from ceiling with 21.6° beam angle and 21.6° beam angle.

| 20w Triple Tube Lamp | 2" From Wall 2" On Center | 2" From Wall 3" On Center | 12 Watt Quad Tube Lamp | 2" From Wall 2" On Center | 2" From Wall 3" On Center |
|----------------------|---------------------------|---------------------------|------------------------|---------------------------|---------------------------|
| 1                    | 1                         | 1                         | 1                      | 1                         | 1                         |
| 2                    | 2                         | 2                         | 2                      | 2                         | 2                         |
| 3                    | 3                         | 3                         | 3                      | 3                         | 3                         |
| 4                    | 4                         | 4                         | 4                      | 4                         | 4                         |
| 5                    | 5                         | 5                         | 5                      | 5                         | 5                         |
| 6                    | 6                         | 6                         | 6                      | 6                         | 6                         |
| 7                    | 7                         | 7                         | 7                      | 7                         | 7                         |
| 8                    | 8                         | 8                         | 8                      | 8                         | 8                         |
| 9                    | 9                         | 9                         | 9                      | 9                         | 9                         |
| 10                   | 10                        | 10                        | 10                     | 10                        | 10                        |
| 11                   | 11                        | 11                        | 11                     | 11                        | 11                        |
| 12                   | 12                        | 12                        | 12                     | 12                        | 12                        |
| 13                   | 13                        | 13                        | 13                     | 13                        | 13                        |
| 14                   | 14                        | 14                        | 14                     | 14                        | 14                        |
| 15                   | 15                        | 15                        | 15                     | 15                        | 15                        |
| 16                   | 16                        | 16                        | 16                     | 16                        | 16                        |
| 17                   | 17                        | 17                        | 17                     | 17                        | 17                        |
| 18                   | 18                        | 18                        | 18                     | 18                        | 18                        |
| 19                   | 19                        | 19                        | 19                     | 19                        | 19                        |
| 20                   | 20                        | 20                        | 20                     | 20                        | 20                        |

Footcandle values are based on a beam angle of 7° and based on a distance of 10 ft.

| Job Information | Type: |
|-----------------|-------|
| Job Name:       |       |
| Est. No.:       |       |
| Location:       |       |
| Notes:          |       |

Lightolier is a Suntek company [www.lightolier.com](http://www.lightolier.com)  
 825 Airport Road, Fall River, MA 01922 • 508/239-6114 • Fax 508/239-6110  
 We reserve the right to change details of design, materials and finish.  
 © 2007 Gentec Group LLC • E-1007

LIGHTOLIER



|              |  |
|--------------|--|
| Product Name |  |
| Product Code |  |

## LR6 6" Downlight Module

**Product Overview:**  
 The LR6 is a modern, minimalist downlight module that provides high-quality illumination for residential and commercial spaces. It features a sleek, circular design and is available in multiple finishes to match your interior decor.

**Key Features:**  
 - Available in multiple finishes: White, Black, and Bronze  
 - Energy-efficient LED technology  
 - Dimmable for ambient lighting control  
 - Easy installation and removal

**Technical Specifications:**  
 - Voltage: 120V AC  
 - Power: 10W  
 - Beam Angle: 30°  
 - CRI: 90+  
 - Dimensions: 6" diameter, 1.5" depth



- Available in multiple finishes: White, Black, and Bronze
- Energy-efficient LED technology
- Dimmable for ambient lighting control
- Easy installation and removal



## LR6 6" Downlight Module

### Specifications of Module

#### Applications

- Residential: Living room, bedroom, dining room
- Commercial: Office, retail, hotel, restaurant

#### Features

- Energy-efficient LED technology
- Dimmable for ambient lighting control
- Easy installation and removal

#### Technical Specifications

- Voltage: 120V AC
- Power: 10W
- Beam Angle: 30°
- CRI: 90+
- Dimensions: 6" diameter, 1.5" depth

#### Applications

- Residential: Living room, bedroom, dining room
- Commercial: Office, retail, hotel, restaurant

### Photometry

Beam Angle: 30°



| Beam Angle | Beam Diameter (ft) | Beam Area (sq ft) | Beam Length (ft) |
|------------|--------------------|-------------------|------------------|
| 30°        | 1.0                | 0.79              | 1.73             |
| 30°        | 2.0                | 3.14              | 3.46             |
| 30°        | 3.0                | 7.07              | 5.19             |
| 30°        | 4.0                | 12.57             | 6.93             |
| 30°        | 5.0                | 19.63             | 8.66             |
| 30°        | 6.0                | 28.27             | 10.39            |
| 30°        | 7.0                | 38.48             | 12.13            |
| 30°        | 8.0                | 50.27             | 13.86            |
| 30°        | 9.0                | 63.62             | 15.59            |
| 30°        | 10.0               | 78.54             | 17.32            |

#### Applications

- Residential: Living room, bedroom, dining room
- Commercial: Office, retail, hotel, restaurant

#### Applications

- Residential: Living room, bedroom, dining room
- Commercial: Office, retail, hotel, restaurant

